






CARGO NET

TREKFIT System

2021

FILLET CARGO - 14'

OVERVIEW




FILLET CARGO - 14'



2

COMPONENTS

of 7




QTY	CODE	DESCRIPTION	MATERIALS
1X	B-16	Cargo horizontal bar 105-1/8" C/C / Ø 4-1/2" / wall thickness 0.25"	Zinc plated steel
2X	C-02	Cap 4-1/2" Ø	UHMW black polyethylene
4X	C-11	Ring 4-1/2" Ø	
2X	F-11	Cargo net, 18mm Ø	Polyethylene + steel
6X	P-14	Cargo post	Zinc plated steel
6X	Q-01	Hex screw 3"x 1/2" Ø	Stainless steel
2X	Q-02	Anti-theft countersunk screw T27 Torx 1/4-20 x 2-1/4"	Stainless steel
6X	Q-25	1/2" Washer (Q-01 x 3)	Zinc plated steel
2X	S-05	Pressure cap - Rope 4-1/2" Ø x 3"	Zinc plated steel




TYPICAL DETAIL
ANCHOR PLATE



CARGO NET 6' X 10'

OVERVIEW







QTY	CODE	DESCRIPTION	MATERIALS
1X	B-21	Cargo horizontal bar 71 7/8" C/C / Ø 4-1/2" / wall thickness 0.25"	Zinc plated steel
2X	C-02	Cap 4-1/2" Ø	UHMW black polyethylene
4X	C-11	Ring 4-1/2" Ø	
2X	F-21	Cargo net, 16mm Ø	Polyethylene + steel
6X	P-22	Cargo post 141 1/2"	Zinc plated steel
6X	Q-01	Hex screw 3"x 1/2" Ø	Stainless steel
2X	Q-02	Anti-theft countersunk screw T27 Torx 1/4-20 x 2-1/4"	Stainless steel
6X	Q-25	1/2" Washer (Q-01 x 3)	Zinc plated steel
2X	S-05	Pressure cap - Rope 4-1/2" Ø x 3"	Zinc plated steel



ANCHOR PLATE



ANCHOR FOR CHEMICAL ANCHORING*

Ø 3/4" [19mm] x 8 1/2" [215mm] Hilti HIT-Z (no equivalent)

Chemical adhesive: HIT-HY 200-A (no equivalent) Not included

*Anchors, washers and locknuts are included with the cargo net

NOTES:

1. Use ARM.CSA G30.18-M92 400W. Galv. G164
2. The concrete must be mixed to achieve a minimum compression strength of 30 MPa @ 28 days with 4-6% air entrainment.
3. The anchor bolts must be Hilti type HIT-Z 3/4" x 8 1/2" zinc plated carbon steel, no equivalent